BOARD OF ASS STATE OF COL 1313 Sherman Street Denver, Colorado 80	t, Room 315	
Petitioner:		
COURTHOUSE SQUARE CO.		
V.		
Respondent:		
DENVER COUN	NTY BOARD OF EQUALIZATION	
Attorney or Party Without Attorney for the Petitioner:		Docket No.: 39449
Name: Address:	Ronald S. Loser, Esq. 1700 Lincoln Street #2222 Denver, CO 80203	
Phone Number: Attorney Reg. #:	(303) 866-9400	

ORDER ON WITHDRAWAL

THIS MATTER was scheduled for a hearing before the Board of Assessment Appeals on August 22, 2002. On August 12, 2002, the Board received Petitioner's request to withdraw the above-captioned appeals. The Board has approved Petitioner's request.

FINDINGS OF FACT AND CONCLUSIONS:

1. Subject property is described as follows:

Schedule No.: 05041-01-019-000

Category: Valuation

Property Type: Commercial

2. Petitioner is protesting the 2001 actual value of the subject property.

ORDER:

Petitioner's request for withdrawal is granted; therefore, the Board will take no further action on these matters.

DATED and MAILED this 13th day of August, 2002.

BOARD OF ASSESSMENT APPEALS

Karen E. Hart Karen E. Hart

Debra A. Baumbach

This decision was put on the record

August 12, 2002

I hereby certify that this is a true and correct copy of the decision of the Board of Assessment Appeals.

Burnell enn Penny S Bunnell



Docket Number: 39449

TO:+3038664485

P.004/005



MARVIN F. POER & COMPANY

STATE & LOCAL TAX CONSULTING

Accredited Member The National Council of Property Taxation

August 10, 2002

Ms. Diane DeVries Board of Assessment Appeals 1313 Sherman St. Rm. 315 Denver, CO 80203 Via Fax: 303-866-4485

Re: Docket #39449

Dear Ms. DeVries:

By way of this letter we formally withdraw the petition for appeal on the referenced docket number. Thank you.

Very truly yours, Marvin F. Poer and Company

᠈ᢙᠬ

Joseph D. Monzon Managing Consultant

jdm/clr

RECEVED 02 AUG 12 AM 7:44 STALE OF COLGAADO OF ASSESSMENT APPEALS

410 17th Street Suite 1730 Denver, Colorado 80202 (303) 573-0975 Fax (303) 573-0976 Web Site: www.mfpoer.com